

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspio.gov

DATE MAILED: 03/08/2005

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR .	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/915,972	07/26/2001	Hechun Chen	519	8161	
47372	7590 03/08/2005		EXAM	EXAMINER	
BIRCH, STEWART, KOLASCH & BIRCH, LLP 8110 GATEHOUSE ROAD			NGUYEN, S	NGUYEN, SON XUAN	
SUITE 100 E			ART UNIT	PAPER NUMBER	
FALLS CHU	CH, VA 22042-1248	•	2664		

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	(A)			
	09/915,972	CHEN ET AL.	G.			
Office Action Summary	Examiner	Art Unit				
	SON X. NGUYEN	2664				
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the o	orrespondence a	ddress			
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a repl - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	I36(a). In no event, however, may a reply be tirely within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from a, cause the application to become ABANDONE	mely filed /s will be considered time the mailing date of this of ED (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on 06 J	ulv 2001.					
	s action is non-final.					
3) Since this application is in condition for allowa		osecution as to th	e merits is			
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
 4) Claim(s) 1-14 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 1-14 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or 	wn from consideration.					
Application Papers						
9) The specification is objected to by the Examine	er.					
10)⊠ The drawing(s) filed on 26 July 2001 is/are: a)	D)⊠ The drawing(s) filed on <u>26 July 2001</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.					
Applicant may not request that any objection to the	drawing(s) be held in abeyance. Se	e 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	•	•	, ,			
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	ts have been received. ts have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	ion No ed in this National	l Stage			
Attachment(s)						
1) X Notice of References Cited (PTO-892)	4) Interview Summary					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail D		O-152)			
 Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 	6) Other:	atoni Appiloation (PT	U-10 <i>L)</i>			

Application/Control Number: 09/915,972 Page 1

Art Unit: 2664

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless —

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1-14 are rejected under 35 U.S.C. 102(e) as being anticipated by Bortolotto et al. (U.S 6,738,825) hereinafter referred to as Bortolotto.

Regarding claim 1, Bortolotto discloses method for automatic system provisioning for an optical network by a network management system, comprising: detecting a new equipment to be provisioned in the optical network, the new equipment being of an equipment type (TCC 300 can detect when the card is inserted; See lines 48-51 of column 8);

automatically selecting a predefined default equipment template corresponding to the type of the new equipment (Fig. 4A corresponds to default equipment template), the selected predefined equipment template comprising a set of equipment parameters and associated predefined values (TCC 300 determines what type of card it is; see lines 56-57 of column 8); and

Application/Control Number: 09/915,972

Art Unit: 2664

automatically provisioning the new equipment using the predefined values associated with the set of parameters contained in the default equipment template (TCC 300 provisioning equipment based on predefined values; See lines 60-63 of column 8).

Regarding claim 2, Bortolotto discloses the automatically selecting comprising selecting from a set of predefined default equipment templates (See Fig. 4A), the set of predefined default equipment templates including at least one default equipment template selected from the group consisting of DS3, DSI, OC3, OC48, OC12, and OC192 equipment templates (Low speed and high speed interface cards in Fig. 4A support electrical and optical interfaces with data rates from DS1 up to OC-192; See lines 57-62 of column 5 and lines 26-30 of column 7).

Regarding claim 3, Bortolotto discloses automatically determining if there is a default equipment protection template corresponding to the equipment type (By default interface cards, XC2 and TCC2, in Fig. 4A are redundant cards; See lines 15-18 of column 7);

automatically selecting a default equipment protection template corresponding to the equipment type of the new equipment, the selected default facility template comprising a set of equipment protection parameters and associated predefined values (TCC 300 determines what type of card it is; see lines 56-57 of column 8); and automatically provisioning equipment protection for the new equipment using the redefined values associated with the set of equipment protection parameters contained

Application/Control Number: 09/915,972

Art Unit: 2664

in the corresponding default equipment protection template (TCC 300 provisioning equipment based on predefined values; See lines 60-63 of column 8).

Regarding claim 4, Bortolotto discloses the new equipment is one of equipment type DSI and DS3 (Low speed interface cards in Fig. 4A support electrical and optical signals with data rates from DS1, DS3 up to OC48; See lines 57-62 of column 5 and lines 26-30 of column 7 and Fig. 8).

Regarding claim 5, Bortolotto discloses automatically selecting a default facility template corresponding to a facility of the new equipment, the selected default facility template comprising a set of facility parameters and associated predefined values; and automatically provisioning the facility of the new equipment using the predefined values associated with the set of facility parameters contained in the corresponding default facility template (TCC 300 determines which of data stream interface cards will receive and provisioning interface card based on provisioning data; See lines 59-63 of column 2).

Regarding claim 6, Bortolotto discloses the detecting of the addition of the new equipment comprises receiving a notification transmission from one of the new equipment and a network element, the new equipment being part of the network element (Network element receives response for provisioning request from devices within the network element; See lines 59-63 of column 2).

Regarding claim 7, Bortolotto discloses the detecting of the addition of the new equipment comprises: transmitting inventory requests to network elements of the network; receiving responses to the inventory requests from the network elements;

Application/Control Number: 09/915,972

Art Unit: 2664

and comparing an equipment database of the network management system with the responses to detect new equipment to be provisioned (See lines 34-41 of column 3).

Regarding claim 8, Bortolotto discloses a system for automatic system provisioning for an optical network by a network management system, comprising: a network interface for receiving information from network elements of the optical network (Network interfaces 130 and 140 in Fig. 1); a processor (Timing, Control and Communication subsystem TCC 300 of Fig. 3 corresponds to a processor) configured to automatically detect a new equipment to be provisioned in the optical network based on the received information from the network elements (TCC 300 can detect when the card is inserted; See lines 48-51 of column 8), the new equipment being of an equipment type, the processor is further configured to automatically select a predefined default equipment template corresponding to the type of the new equipment (TCC 300 determines what type of card it is; see lines 56-57 of column 8), the selected predefined equipment template (Fig. 4A corresponds to default equipment template) comprising a set of equipment parameters and associated predefined values, wherein the processor is configured to automatically transmit via the network interface the predefined values associated with the set of parameters contained in the default equipment template to automatically provision the new equipment (TCC 300 provisioning equipment based on predefined values; See lines 60-63 of column <u>8)</u>.

Art Unit: 2664

Regarding claim 9, Bortolotto discloses the processor is configured to automatically select the template from a set of predefined default equipment templates, the set of predefined default equipment templates (Fig. 4A corresponds to default equipment template) including at least one default equipment template selected from the group consisting of DS3, DSI, OC3, OC48, OC12, and OC192 equipment templates (Low speed and high speed interface cards in Fig. 4A support electrical and optical interfaces with data rates from DS1 up to OC-192; See lines 57-62 of column 5 and lines 26-30 of column 7)...

Regarding claim 10, Bortolotto discloses the processor is further configured to: automatically determine if there is a default equipment protection template corresponding to the equipment type of the new equipment (By default interface cards, XC2 and TCC2, in Fig. 4A are redundant cards; See lines 15-18 of column 7), automatically select a default equipment protection template corresponding to the equipment type of the new equipment, the selected default facility template comprising a set of equipment protection parameters and associated predefined values (TCC 300 determines what type of card it is; see lines 56-57 of column 8);and automatically transmit via the network interface the predefined values associated with the set of equipment protection parameters contained in the default equipment protection template to automatically provision the new equipment (TCC 300 provisioning equipment based on predefined values; See lines 60-63 of column 8).

Regarding claim 11, Bortolotto discloses the new equipment is one of equipment type DSI and DS3 (Low speed interface cards in Fig. 4A support electrical and optical signals with data rates from DS1, DS3 up to OC48; See lines 57-62 of column 5 and lines 26-30 of column 7 and Fig. 8).

Regarding claim 12, Bortolotto discloses the processor is further configured to: automatically select a default facility template corresponding to a facility of the new equipment, the selected default facility template comprising a set of facility parameters and associated predefined values and automatically transmit via the network interface the predefined values associated with the set of facility parameters contained in the corresponding default facility template to provision the facility of the new equipment (TCC 300 determines which of data stream interface cards will receive and provisioning interface card based on provisioning data; See lines 59-63 of column 2).

Regarding claim 13, Bortolotto discloses the network interface is further configured to receive a notification transmission from one of the new equipment and a network element, the new equipment being part of the network element (Network element receives response for provisioning request from devices within the network element; See lines 59-63 of column 2).

Regarding claim 14, Bortolotto discloses the process is further configured to: transmit inventory requests to network elements of the network via the network interface,

receive responses to the inventory request via the network interface, and compare an equipment database of the network management system with the responses to detect new equipment to be provisioned (See lines 34-41 of column 3).

Conclusion

- 3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- a) Michael Chrabaszcz (U.S 6,263,387) System for automatically configuring a server after hot add of a device.
- b) Aoyagi et al. (US-2002/0032761) Method of automatically recognizing network configuration including intelligent packet relay equipment, method of displaying network configuration chart, and system thereof.
- c) Hada et al. (U.S 6,665,713) Topology information automatic configuration method and its topology information automatic configuration system.
- d) Philippe Monot (U.S 5.708,778) Automatic configuration of protocol parameters in protocol layers for public area.
- e) Scrandis et al (U.S 6,694,455) Communications network and method performing distributed processing of fault and alarm objects.
- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to SON X. NGUYEN whose telephone number is 571-272-6048. The examiner can normally be reached on 8 AM -5 PM.

Application/Control Number: 09/915,972 Page 8

Art Unit: 2664

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ken Vanderpuye can be reached on 571-272-3078. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

2/23/05 Son X. Nguyen